


USER MANUAL AUDI RNS-E

1. Introduction

The JRDAB-02 device is a DAB/DAB+ radio receiver. It was designed to receive digital radio services in cars equipped with digital sound system. JRDAB-02 support a following service function which allow to keep track of stations while driving.

2. Start up

The Dab device start after sequential pressing of buttons MEDIA ❶ and SOURCE ❷ on the radio control panel ,then select DAB/DAB+ from list using a main navigation rotary-knob ❸ pic.1.



pic.1

3. Scanning

WATCH OUT!

In first start up of the device it is recommended to run a scan function to add new services to list. Use a main navigation rotary-knob of RNS-E system to start scan process **pic.2**.

IMPORTANT: It is impossible to browse station list DAB Station during **SCAN** process.



pic.2

After end of scan process to show a list of available radio stations select “DAB Station” option from list.

4. Selection of radio station

Selection of radio station from list of available services is done using main navigation rotary-knob ❶ and by arrow buttons ❷ that allow to select next or previous station.



pic.3

5. Text informations

JRDAB module allows to show text informations broadcasted by radio stations
pic.4. To start or change informations display properties it is necessary to press SETUP **1** button and then select proper option by main knob **2** in Track info and List display label. To the list of radio stations, we return with the RETURN button **3** **pic.5.**



pic.4



pic.5